

# Concrete Cures



## Solidify Success with Crafco

Moisture loss is the enemy of curing concrete. Crafco's wide variety of concrete curing compounds and commercial liquids are formulated to provide maximum protection from evaporation and heat buildup for hard, long-lasting concrete. Made with the highest-quality ingredients, Crafco concrete cures are engineered to meet state DOT specifications and other industry standards. Application is simple, with emulsified wax, resin or linseed oil formulas that won't clog sprayers. Ensure your next concrete project stands the test of time with Crafco concrete cures.

### BENEFITS

Prevent moisture loss during curing

Several formulations for different applications

Available in 5, 55 and 275 gallon sizes

Easy spray application with no clogging





## Concrete Protection Solutions

Made with the highest-quality ingredients to meet ASTM, ASHTO and state DOT specs, Crafcó's spray-applied curing compounds are available in several formulations for every application, from roadways, airports and parking lots to building foundations and interiors.

| PRODUCT                      | SPECIFICATIONS  | DESCRIPTION  | USE & APPLICATION  |
|------------------------------|---|--|--|
| White Water Wax City         | Various Municipale Codes                                    |  | <ul style="list-style-type: none"> <li>• Use as surface applied concrete curing compound</li> <li>• Single coat</li> <li>• 200 ft<sup>2</sup>/gallon or as required</li> </ul> |
| White Water Wax 309 Standard | ASTM C309, Type II, Class A                                 | <ul style="list-style-type: none"> <li>• Liquid Concrete Curing Compound</li> <li>• Water Based Wax Emulsion</li> <li>• White Pigmented</li> </ul>             |  |
| White Water Wax 1315         | ASTM C309, Type II, Class A<br>ASTM C1315, Type II, Class A |  |  |
| White Water Resin 309        | ASTM C309, Type II, Class B                                 | <ul style="list-style-type: none"> <li>• Liquid Concrete Curing Compound</li> <li>• Water Based Resin Emulsion</li> <li>• White Pigmented</li> </ul>           |  |
| White Water Resin 44         | ASTM C309, Type II, Class B<br>ASTM C1315, Type II, Class B |  |  |
| White Water Linseed Oil 309  | ASTM C309, Type II, Class A                                 | <ul style="list-style-type: none"> <li>• Liquid Concrete Curing Compound</li> <li>• Water Based Linseed Oil</li> <li>• Emulsion White Pigmented</li> </ul>     |  |
| Clear Water Wax 309          | ASTM C309, Type I, Class A                                  | <ul style="list-style-type: none"> <li>• Liquid Concrete Curing Compound</li> <li>• Water Based Wax Emulsion</li> <li>• No Pigment</li> </ul>                  |  |
| Clear Water Resin 309        | ASTM C309, Type I, Class B                                  | <ul style="list-style-type: none"> <li>• Liquid Concrete Curing Compound</li> <li>• Water Based Resin Emulsion</li> <li>• No Pigment, Dye Available</li> </ul> |  |
| Clear Water Linseed Oil 309  | ASTM C309, Type I, Class A                                  | <ul style="list-style-type: none"> <li>• Liquid Concrete Curing Compound</li> <li>• Water Based Linseed Oil</li> <li>• Emulsion No Pigment</li> </ul>          |  |

Available in 5 Gallon Pails, 55 Gallon Drums, and 275 Gallon Totes

©April 2024 Crafcó, Inc.