# CRAFCO (NC AN ERGON EL COMPANY

# SAFETY DATA SHEET

# 1. Identification

Product identifier Crafco Roadsaver Silicone NS Sealant, Roadsaver Silicone SL, Roadsaver Silicone SL

**Ultra-Low Modulus** 

Other means of identification None.

**Recommended use** Pavement Joint Sealant

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer: Crafco, Inc.

**Address:** 6165 West Detroit St.

Chandler, AZ 85226 USA

**Contact Name:** Crafco Materials Engineering

**Telephone:** 602-276-0406 **E-mail:** sales@crafco.com

CHEMTREC: 800-424-9300 (North America)

+ 1-703-527-3887 (International)

# 2. Hazard(s) identification

Physical hazards Not classified.

**Health hazards** Reproductive toxicity Category 2 **Environmental hazards** Hazardous to the aquatic environment, acute Category 2

hazard

**OSHA defined hazards** Not classified.

**Label elements** 



Signal word Warning

**Hazard statement** Suspected of damaging fertility or the unborn child. Harmful to aquatic life with long lasting

effects.

**Precautionary statement** 

**Prevention** Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wear protective gloves/protective clothing/eye protection/face protection. Avoid

release to the environment.

**Response** IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with

water/shower. IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.

**Storage** Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

See section 13 of this SDS for disposal instructions.

Hazard(s) not otherwise

classified (HNOC)

None known.

**Supplemental information** None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Polydimethylsiloxane		9016-00-6	15 - 40
Silica		112945-52-5	0 - 5

Chemical name	Common name and synonyms	CAS number	<u></u>
Toluene		108-88-3	0 - 2
Other components below re	portable levels		76.31

#### 4. First-aid measures

**Inhalation** If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

Call a physician if symptoms develop or persist.

Skin contact IF ON SKIN: Gently wash with plenty of soap and water. If irritation persists get medical attention.

Immediately rinse with water for several minutes. If a contact lens is present, DO NOT delay **Eye contact** irrigation or attempt to remove the lens. Continue rinsing, Get medical attention if irritation

develops and persists.

**Ingestion** Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs,

keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or

poison control center immediately.

Most important

symptoms/effects, acute and delayed

Not available.

**Indication of immediate** medical attention and special treatment needed

In case of shortness of breath, give oxygen. Keep victim warm. Symptoms may be delayed.

**General information** 

If you feel unwell, seek medical advice (show the label where possible). Keep victim warm. Keep victim under observation. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before re-use.

## 5. Fire-fighting measures

Suitable extinguishing media

**Unsuitable extinguishing** 

media

Specific hazards arising from

the chemical **Special protective equipment** 

and precautions for firefighters

Fire fighting

**Specific methods** 

**General fire hazards** 

equipment/instructions

Water. Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use a solid water stream as it may scatter and spread fire.

Irritating, corrosive and/or toxic gases or fumes will be released during a fire.

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

In case of fire and/or explosion do not breathe fumes. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA. Move containers from fire area if you can do so without risk. In the event of fire, cool tanks with water spray. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

In the event of fire and/or explosion do not breathe fumes. Use water spray to cool unopened containers.

No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Methods and materials for containment and cleaning up **Environmental precautions** 

Stop the flow of material, if this is without risk. Eliminate sources of ignition. Dike far ahead of spill for later disposal. Following product recovery, flush area with water.

Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid release to the environment.

# 7. Handling and storage

**Precautions for safe handling** 

Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin, eyes and clothing. Do not ingest. Wash hands after handling and before eating. When using, do not eat, drink or smoke. Avoid contact during pregnancy/while nursing. Avoid release to the environment.

Store in a cool and well-ventilated place. Keep away from heat and sources of ignition. Keep out of the reach of children. Keep container tightly closed.

# 8. Exposure controls/personal protection

#### **Occupational exposure limits**

US. OSHA Table Z-2 (29 CFR 1910.1000)

Components	Туре	Value	
TOLUENE (CAS 108-88-3)	Ceiling	300 ppm	
	TWA	200 ppm	
<b>US. OSHA Table Z-3 (29 CFR 19</b>	10.1000)		
Components	Туре	Value	
Silica (CAS 112945-52-5)	TWA	0.8 mg/m3	
		20 mppcf	
<b>US. ACGIH Threshold Limit Valu</b>	ıes		
Components	Туре	Value	
TOLUENE (CAS 108-88-3)	TWA	20 ppm	
<b>US. NIOSH: Pocket Guide to Ch</b>	emical Hazards		
Components	Туре	Value	
Silica (CAS 112945-52-5)	TWA	6 mg/m3	
TOLUENE (CAS 108-88-3)	STEL	560 mg/m3	
		150 ppm	
	TWA	375 mg/m3	
		100 ppm	

#### **Biological limit values**

**ACGIH Biological Exposure Indices** 

Components	Value	Determinant	Specimen	Sampling Time
TOLUENE (CAS 108-88-3)	0.3 mg/g	o-Cresol, with hydrolysis	Creatinine in urine	*
	0.03 mg/l	Toluene	Urine	*
	0.02 mg/l	Toluene	Blood	*

<sup>\* -</sup> For sampling details, please see the source document.

#### **Exposure guidelines**

**US - California OELs: Skin designation** 

Toluene (CAS 108-88-3) Can be absorbed through the skin.

**US - Minnesota Haz Subs: Skin designation applies** 

Toluene (CAS 108-88-3) Skin designation applies.

Appropriate engineering

Provide adequate ventilation if fumes or vapors are generated.

controls

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Goggles/face shield are recommended.

Skin protection

**Hand protection** Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style

gloves.

**Other** Wear appropriate chemical resistant clothing.

**Respiratory protection** In the case of respirable dust and/or fumes, use self-contained breathing apparatus. When workers

are facing concentrations above the exposure limit they must use appropriate certified respirators.

**Thermal hazards** Not available.

**General hygiene**When using, do not eat, drink or smoke. Use good industrial hygiene practices in handling this material. Wash hands before breaks and immediately after handling the product.

Material name: Crafco Roadsaver Silicone NS Sealant, Roadsaver Silicone SL, Roadsaver Silicone SL Ultra-Low Modulus

## 9. Physical and chemical properties

AppearancePaste.Physical stateLiquid.FormPaste.ColorGrey.OdorSlight.

Odor thresholdNot available.pHNot available.Melting point/freezing pointNot available.

Initial boiling point and

< 150 °F (< 65.56 °C)

boiling range

Flash point > 392.0 °F (> 200.0 °C)

Evaporation rate Not available.
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits
Flammability limit - lower Not available.

(%)

Flammability limit - Not a

upper (%)

Not available.

**Explosive limit - lower** 

(%)

Not available.

Not available.

**Explosive limit - upper** 

(%)

Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

**Auto-ignition temperature** > 700 °F (> 371.11 °C)

**Decomposition temperature** Not available. **Viscosity** Not available.

Other information

Percent volatile < 5%Specific gravity 1 - 1.5

## 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport **Chemical stability**Material is stable under normal conditions. Stable under normal temperature conditions.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

**Conditions to avoid** Heat, flames and sparks. Avoid high temperatures. Temperatures above 100 °C

**Incompatible materials** Strong acids, alkalies and oxidizing agents.

Strong actus, arkanes and oxidizing agents.

**Hazardous decomposition**Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Toxic gas.

dioxide and/or low molecular weight hydrocarbons. Toxic

#### 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation** Health injuries are not known or expected under normal use.

**Skin contact**Causes mild skin irritation. **Eye contact**May be irritating to eyes.

**Ingestion** May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms related to the physical, chemical and

Not available.

toxicological characteristics

Information on toxicological effects

**Acute toxicity** Not classified.

**Species Test Results** Components

Silica (CAS 112945-52-5)

**Acute** Oral

LD50 Rat > 22500 mg/kg

Toluene (CAS 108-88-3)

**Acute** 

**Dermal** 

LD50 Rabbit 12120 mg/kg

\* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Causes mild skin irritation. Not classified.

Serious eye damage/eye irritation

Not available.

Respiratory or skin sensitization

**Respiratory sensitization** Not available. Skin sensitization Not available.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Silica (CAS 112945-52-5) 3 Not classifiable as to carcinogenicity to humans. Toluene (CAS 108-88-3) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Suspected of damaging fertility or the unborn child.

Specific target organ toxicity

- single exposure

Not available.

Specific target organ toxicity

- repeated exposure

Not available.

Not available. **Aspiration hazard** 

**Chronic effects** Not relevant at normal room temperatures. When heated, harmful vapors may be formed

12. Ecological information

**Ecotoxicity** Contains a substance which causes risk of hazardous effects to the environment.

**Test Results Product** Species Crafco Roadsaver Silicone NS Sealant, Roadsaver Silicone SL, Roadsaver Silicone SL Ultra-Low Modulus

**Aquatic** 

EC50 5.46 - 9.83 mg/l, 48 hr Crustacea Water flea (Daphnia magna)

Fish LC50 Coho salmon, silver salmon 5.5 mg/l, 96 hr

(Oncorhynchus kisutch)

Material name: Crafco Roadsaver Silicone NS Sealant, Roadsaver Silicone SL, Roadsaver Silicone SL Ultra-Low Modulus 5012 Version #: 02 Revision date: 05-08-2020 Issue date: 08-11-2017

Components		Species	Test Results	
Polydimethylsiloxane (CAS 9016-00-6)				
Aquatic				
Fish	LC50	Channel catfish (Ictalurus punctatus)	2.36 - 4.15 mg/l, 96 hours	
Toluene (CAS 108-88-	·3)			
Aquatic				
Crustacea	EC50	Water flea (Daphnia magna)	5.46 - 9.83 mg/l, 48 hours	
Fish	LC50	Coho salmon,silver salmon (Oncorhynchus kisutch)	8.11 mg/l, 96 hours	

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

**Persistence and degradability** Not available. **Bioaccumulative potential** Not available.

Partition coefficient n-octanol / water (log Kow)

Toluene 2.73

Mobility in soilNot available.Other adverse effectsNot available.

## 13. Disposal considerations

**Disposal instructions**Contract with a disposal operator licensed by the Law on Disposal and Cleaning. Do not dispose of

waste into sewer. Do not allow this material to drain into sewers/water supplies. This product, in its present state, when discarded or disposed of, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Dispose in accordance with all applicable regulations.

Waste from residues /

Dispose of in accordance with local regulations.

unused products

Contaminated packaging

Offer rinsed packaging material to local recycling facilities.

#### 14. Transport information

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not available.

Annex II of MARPOL 73/78

and the IBC Code

## 15. Regulatory information

**US federal regulations**This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard

29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Toluene (CAS 108-88-3) Listed.

**SARA 304 Emergency release notification** 

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)** 

**SARA 302 Extremely hazardous substance** 

Not listed.

**SARA 311/312** Yes

**Hazardous chemical** 

Classified hazard Reproductive toxicity

categories

SARA 313 (TRI reporting)

Chemical nameCAS number% by wt.Toluene108-88-30 - 2

#### Other federal regulations

# Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Toluene (CAS 108-88-3)

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Clean Water Act (CWA)

Hazardous substance

Section 112(r) (40 CFR

68.130)

Safe Drinking Water Act Not regulated.

(SDWA)

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

Toluene (CAS 108-88-3) 6594

#### Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Toluene (CAS 108-88-3) 35 %WV

**DEA Exempt Chemical Mixtures Code Number** 

Toluene (CAS 108-88-3) 594

**US state regulations** WARNING: This product contains a chemical known to the State of California to cause birth defects

or other reproductive harm.

#### **California Proposition 65**

#### California Proposition 65 - CRT: Listed date/Developmental toxin

Toluene (CAS 108-88-3) Listed: January 1, 1991

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Toluene (CAS 108-88-3)

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
ALA IIN C. III. III. III. III. III. III. II		

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

#### 16. Other information, including date of preparation or last revision

**Issue date** 08-11-2017 **Revision date** 05-08-2020

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Version # 02

**Further information** HMIS® is a registered trade and service mark of the NPCA.

**NFPA ratings** Health: 2

Flammability: 1 Instability: 0

**References** ACGIH

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

**Revision information** Product and Company Identification: Synonyms

Hazard(s) identification: Response

Hazard(s) identification: Supplemental information Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties Toxicological Information: Toxicological Data

Ecological Information: Ecotoxicity

Transport Information: Proper Shipping Name/Packing Group

Regulatory Information: United States HazReg Data: International Inventories

**GHS:** Classification

Material name: Crafco Roadsaver Silicone NS Sealant, Roadsaver Silicone SL, Roadsaver Silicone SL Ultra-Low Modulus 5012 Version #: 02 Revision date: 05-08-2020 Issue date: 08-11-2017