

# Crafco Tack Tank Specifications

	<b>300 Gallon</b>	<b>600 Gallon</b>
<b>Capacity</b>	300 Gal / 1,135 L	600 Gal / 2,270 L
<b>Weight (Empty)</b>	2,250 lbs / 1,020 kg	2,850 lbs / 1,290 kg
<b>Torsion Spring Axle(s)</b>	Single	Dual
<b>Axle Capacity</b>	6,000 lbs / 2,721 kg	6,000 lbs / 2,721 kg
<b>Overall Length</b>	169" / 430 cm	169" / 430 cm
<b>Overall Width</b>	96.5" / 245 cm	96.5" / 245 cm
<b>Loading Height</b>	62" / 158 cm	70" / 178 cm
<b>Tank Heads</b>	Dished & Flanged, Welded Inside & Out	Dished & Flanged, Welded Inside & Out
<b>Tank Shell</b>	Standard Oval Cross Section	Standard Oval Cross Section
<b>Baffle</b>	NA	with Crawl Hole
<b>Manhole</b>	20" / 51cm	20" / 51cm
<b>Contents Guage</b>	Yes	Yes
<b>Asphalt Pump</b>	35 GPM / 130 LPM, Reversible	35 GPM / 130 LPM, Reversible
<b>Burner</b>	Diesel w/ Thermostatic Control	Diesel w/ Thermostatic Control
<b>Flue</b>	8" / 20 cm Diameter, Single Flue Tube with Triple Tank Pass	8" / 20 cm Diameter, Single Flue Tube with Triple Tank Pass
<b>Hand Spray Wand</b>	Single Nozzle	Single Nozzle
<b>Hand Spray Hose</b>	40 feet / 12 meters, Manual Reel	40 feet / 12 meters, Manual Reel
<b>Spray Bar Width</b>	8 feet / 2.44 meters	8 feet / 2.44 meters
<b>Spray Bar Control</b>	Manual or In-Cab	Manual or In-Cab
<b>Thermometer Type</b>	Dial Thermometer, 50° - 550° F	Dial Thermometer, 50° - 550° F
<b>Engine Type</b>	1 Cylinder - Electric Start, Air Cooled	1 Cylinder - Electric Start, Air Cooled
<b>Engine Fuel</b>	Gasoline	Gasoline
<b>Engine Power</b>	9.5 HP (SAE/1394), 7kW	9.5 HP (SAE/1394), 7kW
<b>Solvent Tank</b>	9 Gal. / 19 L	9 Gal. / 19 L
<b>Hydraulic Tank</b>	9 Gal. / 19 L	9 Gal. / 19 L
<b>Diesel Tank (Burner)</b>	9 Gal. / 19 L	9 Gal. / 19 L
<b>Tires</b>	225/75R15	225/75R15
<b>Brakes</b>	Electric, Single Axle	Electric, Single Axle
<b>Trailer Hitch</b>	Pintle Eye, 2 ¾" / 70 mm	Pintle Eye, 2 ¾" / 70 mm
<b>Trailer Braking</b>	Electronic Break-Away, w/ Safety Chains	Electronic Break-Away, w/ Safety Chains
<b>Trailer Wiring</b>	Trailer Lighting, Standard	Trailer Lighting, Standard